

# Installation

docker-compose.yml

```
version: '2'
services:
  vaultwarden:
    image: ghcr.io/dani-garcia/vaultwarden
    container_name: vaultwarden
    restart: unless-stopped
    volumes:
      - ./data:/data/
    environment:
      WEBSOCKET_ENABLED: "true" # Enable WebSocket notifications.
      ADMIN_TOKEN: ${VAULTWARDEN_ADMIN_TOKEN}
      PASSWORD_ITERATIONS: 500000
    labels:
      traefik.enable: true
      traefik.http.services.vaultwarden-service.loadbalancer.server.port: 80
      traefik.http.services.vaultwarden-ws-service.loadbalancer.server.port: 3012

      traefik.http.routers.vaultwarden-admin.entrypoints: websecure
      traefik.http.routers.vaultwarden-admin.middlewares: secured@file
      traefik.http.routers.vaultwarden-admin.rule: Host(`${vaultwarden}.${SITE}`) && PathPrefix(`/admin`)
      traefik.http.routers.vaultwarden-admin.service: vaultwarden-service

      traefik.http.routers.vaultwarden-user.entrypoints: websecure
      traefik.http.routers.vaultwarden-user.rule: Host(`${vaultwarden}.${SITE}`) && !PathPrefix(`/admin`)
      traefik.http.routers.vaultwarden-user.service: vaultwarden-service

      traefik.http.routers.vaultwarden-ws.entrypoints: websecure
      traefik.http.routers.vaultwarden-ws.rule: Host(`${vaultwarden}.${SITE}`) && Path(`/notifications/hub`)
      traefik.http.routers.vaultwarden-ws.service: vaultwarden-ws-service
```

## Getting the admin token

See [here](#).

1. Run the following command and choose a password.

```
docker exec -it vwcontainer /vaultwarden hash
```

2. Although the documentation states that it is not necessary, replace all `$` with `$$` in the string.
3. Put the string into the `.env` file. For example:

```
VAULTWARDEN_ADMIN_TOKEN=$$argon2id$$v=19$$m=19456,t=2,p=1$$UUZxK1FZMkZoRHFQRIVr  
TXZvS0E3bHpNQW55c2dBN2NORzdsa0Nxd1JhND0$$cUold+JBUsJutlG4rfDZayExfjq4TCt48aBc9qsc3UI
```

- You can test if websockets are working by opening vaultwarden in two different browsers/devices and creating an entry in one of them. It should automatically sync over to the other.

## See also

- [https://github.com/dani-garcia/vaultwarden/wiki/Enabling-admin-page#secure-the-admin\\_token](https://github.com/dani-garcia/vaultwarden/wiki/Enabling-admin-page#secure-the-admin_token)
- <https://github.com/dani-garcia/vaultwarden/wiki/Proxy-examples#traefik-v1-labels-migrated-to-traefik-v2>

---

Revision #8

Created 14 September 2023 20:19:35 by Levin

Updated 15 September 2023 11:56:53 by Levin